

SEP 09 2008

Application No. 10/686,809
Amendment dated September 9, 2008
After Allowance Under 37 C.F.R. 1.312

Docket No.: ZIPH-009-102

AMENDMENTS TO THE SPECIFICATION

Please amend the paragraph beginning on page 5, line 1 as follows:

R₁ can further be a 2- or 4-pyrimidinyl heterocycle, where the 2-pyrimidinyl ring can be mono- or polysubstituted by the methyl group, furthermore are [sic] the a 2-, 3-, and 4- and or 8-quinolyl structure that may be substituted by (C₁-C₆)-alkyl, halogen, the nitro group, the amino group and or the (C₁-C₆)-alkylamino radical, are [sic] or : a 2-, 3-, and [sic] or 4-quinolylmethyl group, where the ring carbons of the pyridylmethyl radical of the quinolyl group and of the quinolylmethyl radical can may be substituted by (C₁-C₆)-alkyl, (C₁-C₆)-alkoxy, nitro, amino and or (C₁-C₆)-alkoxycarbonylamino.

Please insert the following paragraph on page 9, line 20:

FIG. 1 shows the cytotoxic action of compound D-24851 against MDR murine leukemic subline L1210/VCR.

FIG. 2 demonstrates the action of compound D-24851 on a multidrug-resistant tumor.

FIG. 3 shows the influence on the multi-drug-resistant murine leukemia L1210 (dose 10% of the LD.sub.50).

FIG. 4 compares the effect compound D-24851 on human leukemia cells with the effect of other neoplastic agents on the same leukemia cells.

FIG. 5 shows the inhibition of migration of MO4 cells by compound D-24851.

FIG. 6 shows a comparison of neurotoxicity induced by compound D-24851 versus other neoplastic agents.

FIG. 7 shows the influence of compound D-24851 on nerve conduction velocity in rat.

Application No. 10/686,809
Amendment dated September 9, 2008
After Allowance Under 37 C.F.R. 1.312

Docket No.: ZIPH-009-102

FIG. 8 compares angiogenesis in human endothelial cells in compound D-24851-treated cells versus DMSO (44 hours after induction of angiogenesis).

FIG. 9 compares angiogenesis in human endothelial cells in compound D-24851-treated cells versus DMSO (22 hours after induction of angiogenesis).